

Author Index of Volume 89

- Agranovski, I.E. 229
Albusairi, B. 173
Alves, S.S. 109
Arce, A. 223
Arrighi, L. 75

Baerns, M. 119
Barton, G.W. 37
Bounahmidi, T. 185
Braddock, R.D. 229
Busca, G. 75
Buyevskaya, O. 119

Chiang, S.-C. 253
Comiti, J. 29

Davidson, J.F. 127

Gallegos, C. 53
Glavič, P. 155
Gomes, V.G. 37
González, A. 101
Grabovska, L. 193

Grubert, G. 119
Guillon, E. 119

Hahndorf, I. 119
Harris, A.T. 127
Hilal, M. 29
Ho, C.-D. 253
Hsu, J.T. 173

Janssen, L.J.J. 193
Jarvis, D. 229
Jenkins, J.D. 1
Joodaki, M.R. 239
Jourani, A. 185

Kim, Y.H. 89
Koene, L. 193
Kolf, S. 119
Krichnavaruk, S. 203

Langpape, M. 119
Liu, J. 213
Liu, Y. 213

Lukey, G.C. 63

Maia, C.I. 109
Marchiaro, A. 223
Martínez-Boza, F. 53
Matsui, T. 143
Miglio, R. 75
Montillet, A. 29
Myojo, T. 229

Navarro, F.J. 53

Ordúz, S. 101

Panizza, M. 75
Partal, P. 53
Pavasant, P. 203

Resini, C. 75
Restrepo, A. 101
Rieger, F. 47
Rodríguez, O. 223
Romagnoli, J.A. 37


Rossini, S. 75
Rostami, Kh. 239

Sechi, S. 75
Seguin, D. 29
Serralheiro, A.J. 109
Sobočan, G. 155
Soto, A. 223
Spoor, P.B. 193

ter Veen, W.R. 193
Thorpe, R.B. 127
Toikka, A.M. 1

Valencia, C. 53
van Deventer, J.S.J. 63
van Jaarsveld, J.G.S. 63
Vasconcelos, J.M.T. 109

Zeaiter, J. 37
Zhang, T. 213
Zheng, H. 213



Subject Index of Volume 89

- Aerated stirred tanks
Bubble size in aerated stirred tanks, 109
- Aerosols
Inclined wettable filter for mist purification, 229
- Air filter
Inclined wettable filter for mist purification, 229
- Air purification
Inclined wettable filter for mist purification, 229
- Airlift contactor
Analysis of gas–liquid mass transfer in an airlift contactor with perforated plates, 203
- Aluminosilicate
The effect of composition and temperature on the properties of fly ash- and kaolinite-based geopolymers, 63
- Automated preparation
Experimental equipment for high-throughput synthesis and testing of catalytic materials, 119
- Bitumen
Rheological characteristics of ground tire rubber-modified bitumens, 53
- Bubble size
Bubble size in aerated stirred tanks, 109
- Cadmium removal
Some studies of cadmium adsorption using *Aspergillus niger*, *Penicillium austurianum*, employing an airlift fermenter, 239
- Calorimetry
Inferential conversion monitoring and control in emulsion polymerisation through calorimetric measurements, 37
- Catalyst
A study of the reaction pathway upon propane oxidation over V–K/Al₂O₃ catalysts, 75
- Catalytic combustion
Preparation of high surface area La_{1-x}A_xMnO₃ (A = Ba, Sr or Ca) ultra-fine particles used for CH₄ oxidation, 213
- Catalytic materials
Experimental equipment for high-throughput synthesis and testing of catalytic materials, 119
- Cinétique
Cinétique de nucléation hétérogène et de croissance cristalline de l'hydroxyapatite lors de la précipitation spontanée des phosphates de calcium dans des solutions sucrées, 185
- Circulating fluidised bed
A novel method for measuring the residence time distribution in short time scale particulate systems, 127
- Correlation
Liquid–liquid equilibria of limonene + linalool + diethylene glycol system at different temperatures, 223
- Creeping flow
Modelling of power law liquid–solid mass transfer in packed beds at Darcy regime, 29
- Croissance cristalline
Cinétique de nucléation hétérogène et de croissance cristalline de l'hydroxyapatite lors de la précipitation spontanée des phosphates de calcium dans des solutions sucrées, 185
- Crumb rubber
Rheological characteristics of ground tire rubber-modified bitumens, 53
- Deionisation
Pilot scale deionisation of a galvanic nickel solution using a hybrid ion-exchange/electrodialysis system, 193
- Diffusion
Application of shape factor to determine the permeability of perfusive particles, 173
- Distillation columns sequence
A simple method for systematic synthesis of thermally integrated distillation sequences, 155
- Double-pass operation
A theoretical study of the improvement in performance of double-pass mass exchangers with external refluxes separated by an idealized permeable barrier, 253
- Emulsion polymerisation
Inferential conversion monitoring and control in emulsion polymerisation through calorimetric measurements, 37
- Experimental method
A novel method for measuring the residence time distribution in short time scale particulate systems, 127
- Extended Petlyuk column
Rigorous design of extended fully thermally coupled distillation columns, 89
- External refluxes
A theoretical study of the improvement in performance of double-pass mass exchangers with external refluxes separated by an idealized permeable barrier, 253
- Filter clogging
Inclined wettable filter for mist purification, 229
- Fluid mechanics
Application of shape factor to determine the permeability of perfusive particles, 173
- Fungi
Some studies of cadmium adsorption using *Aspergillus niger*, *Penicillium austurianum*, employing an airlift fermenter, 239
- Gas–liquid mass transfer
Bubble size in aerated stirred tanks, 109
Analysis of gas–liquid mass transfer in an airlift contactor with perforated plates, 203
- Geopolymer
The effect of composition and temperature on the properties of fly ash- and kaolinite-based geopolymers, 63
- Heat integration
A simple method for systematic synthesis of thermally integrated distillation sequences, 155
- Heavy metal
Some studies of cadmium adsorption using *Aspergillus niger*, *Penicillium austurianum*, employing an airlift fermenter, 239

- High-throughput synthesis and screening
Experimental equipment for high-throughput synthesis and testing of catalytic materials, 119
- Inorganic polymer
The effect of composition and temperature on the properties of fly ash- and kaolinite-based geopolymers, 63
- Integrability criterion
A simple method for systematic synthesis of thermally integrated distillation sequences, 155
- Kinetics
Kinetic model of one-part curing system with moving boundary conditions, 143
- Limonene
Liquid–liquid equilibria of limonene + linalool + diethylene glycol system at different temperatures, 223
- Linalool
Liquid–liquid equilibria of limonene + linalool + diethylene glycol system at different temperatures, 223
- LLE
Liquid–liquid equilibria of limonene + linalool + diethylene glycol system at different temperatures, 223
- Mass exchangers
A theoretical study of the improvement in performance of double-pass mass exchangers with external refluxes separated by an idealized permeable barrier, 253
- Mass transfer
Modelling of power law liquid–solid mass transfer in packed beds at Darcy regime, 29
Kinetic model of one-part curing system with moving boundary conditions, 143
Application of shape factor to determine the permeability of perfusive particles, 173
- Mathematical modeling
Kinetic model of one-part curing system with moving boundary conditions, 143
- Methane oxidation
Preparation of high surface area $\text{La}_{1-x}\text{A}_x\text{MnO}_3$ (A = Ba, Sr or Ca) ultra-fine particles used for CH_4 oxidation, 213
- Minimum flow computation
Rigorous design of extended fully thermally coupled distillation columns, 89
- Mist removal
Inclined wettable filter for mist purification, 229
- Moisture curable sealant
Kinetic model of one-part curing system with moving boundary conditions, 143
- Moving boundary conditions
Kinetic model of one-part curing system with moving boundary conditions, 143
- Multicomponent mixtures
Conditions of thermodynamic equilibrium and stability as a basis for the practical calculation of vapour–liquid equilibria, 1
- Nickel
Pilot scale deionisation of a galvanic nickel solution using a hybrid ion-exchange/electrodialysis system, 193
- Non-Newtonian fluid
Modelling of power law liquid–solid mass transfer in packed beds at Darcy regime, 29
- Nucléation hétérogène
Cinétique de nucléation hétérogène et de croissance cristalline de l'hydroxyapatite lors de la précipitation spontanée des phosphates de calcium dans des solutions sucrées, 185
- One-part curing system
Kinetic model of one-part curing system with moving boundary conditions, 143
- On–off values
Cost effective control strategy for small applications and pilot plants: on–off valves with temporized PID controller, 101
- Optimal control
Inferential conversion monitoring and control in emulsion polymerisation through calorimetric measurements, 37
- Oxidation
A study of the reaction pathway upon propane oxidation over V–K/ Al_2O_3 catalysts, 75
- Oxidative dehydrogenation
A study of the reaction pathway upon propane oxidation over V–K/ Al_2O_3 catalysts, 75
- Oxidative dehydrogenation of ethane
Experimental equipment for high-throughput synthesis and testing of catalytic materials, 119
- Packed beds
Modelling of power law liquid–solid mass transfer in packed beds at Darcy regime, 29
- Parallel testing
Experimental equipment for high-throughput synthesis and testing of catalytic materials, 119
- Particle
Application of shape factor to determine the permeability of perfusive particles, 173
- Particle residence time distribution
A novel method for measuring the residence time distribution in short time scale particulate systems, 127
- Perforated plate
Analysis of gas–liquid mass transfer in an airlift contactor with perforated plates, 203
- Perovskite-type oxides
Preparation of high surface area $\text{La}_{1-x}\text{A}_x\text{MnO}_3$ (A = Ba, Sr or Ca) ultra-fine particles used for CH_4 oxidation, 213
- Phase diagrams
Conditions of thermodynamic equilibrium and stability as a basis for the practical calculation of vapour–liquid equilibria, 1
- Phosphates de calcium
Cinétique de nucléation hétérogène et de croissance cristalline de l'hydroxyapatite lors de la précipitation spontanée des phosphates de calcium dans des solutions sucrées, 185
- Pilot plants
Cost effective control strategy for small applications and pilot plants: on–off valves with temporized PID controller, 101
- Pilot scale
Pilot scale deionisation of a galvanic nickel solution using a hybrid ion-exchange/electrodialysis system, 193
- Polystyrene
Inferential conversion monitoring and control in emulsion polymerisation through calorimetric measurements, 37
- Porous media
Application of shape factor to determine the permeability of perfusive particles, 173
- Précipitation
Cinétique de nucléation hétérogène et de croissance cristalline de l'hydroxyapatite lors de la précipitation spontanée des phosphates de calcium dans des solutions sucrées, 185
- Process synthesis
A simple method for systematic synthesis of thermally integrated distillation sequences, 155
- Propane
A study of the reaction pathway upon propane oxidation over V–K/ Al_2O_3 catalysts, 75

Propene

A study of the reaction pathway upon propane oxidation over V-K/ Al_2O_3 catalysts, 75

Pseudo-steady-state

Kinetic model of one-part curing system with moving boundary conditions, 143

Pumping efficiency

Pumping efficiency of screw agitators in a tube, 47

RTD

A novel method for measuring the residence time distribution in short time scale particulate systems, 127

Screw agitator

Pumping efficiency of screw agitators in a tube, 47

Separation systems

A simple method for systematic synthesis of thermally integrated distillation sequences, 155

Shape factor

Application of shape factor to determine the permeability of perfusive particles, 173

Short time scale system

A novel method for measuring the residence time distribution in short time scale particulate systems, 127

Soft-sensor

Inferential conversion monitoring and control in emulsion polymerisation through calorimetric measurements, 37

Span of temperatures

A simple method for systematic synthesis of thermally integrated distillation sequences, 155

Stability conditions

Conditions of thermodynamic equilibrium and stability as a basis for the practical calculation of vapour–liquid equilibria, 1

Structural design

Rigorous design of extended fully thermally coupled distillation columns, 89

Temporized PID controller

Cost effective control strategy for small applications and pilot plants: on–off valves with temporized PID controller, 101

Thermally coupled distillation

Rigorous design of extended fully thermally coupled distillation columns, 89

Thermodynamic efficiency

Rigorous design of extended fully thermally coupled distillation columns, 89

Thermodynamic inequalities

Conditions of thermodynamic equilibrium and stability as a basis for the practical calculation of vapour–liquid equilibria, 1

Ultra-fine particles

Preparation of high surface area $\text{La}_{1-x}\text{A}_x\text{MnO}_3$ (A = Ba, Sr or Ca) ultra-fine particles used for CH_4 oxidation, 213

Vanadium oxide catalysts

A study of the reaction pathway upon propane oxidation over V-K/ Al_2O_3 catalysts, 75

Vapour–liquid equilibrium

Conditions of thermodynamic equilibrium and stability as a basis for the practical calculation of vapour–liquid equilibria, 1

Viscoelastic behaviour

Rheological characteristics of ground tire rubber-modified bitumens, 53

Waste materials

The effect of composition and temperature on the properties of fly ash- and kaolinite-based geopolymers, 63

Wettability

Inclined wettable filter for mist purification, 229

